

GARAGE DOORS



VAN ACHT
Windows and Doors

SINCE 1986
2024 Edition 11

GARAGE DOOR MOTORS

For unparalleled performance and reliability, Van Acht exclusively relies on the finest, rigorously tested garage door motors.



CENTURION MOTORS

- ALWAYS-ON RELIABILITY
- ADVANCED SAFETY AND OBSTRUCTION DETECTION
- TECHNOLOGY FOR MORE PEACE OF MIND



DC BLUE MOTOR

- TRUE BATTERY BACK-UP
- SILENT BELT DRIVE
- INTELLIGENT DOOR LOAD PROFILING AND ADDED SAFETY CONTROL

Shop garage door spares online
www.vanacht.co.za



GARAGE BATTERY

24V2.4 Ah



GARAGE BATTERY

24V 3.5 Ah



GARAGE DOOR SPARES



VERSA-WOOD

GARAGE DOORS

Please remember to see maintenance instructions on pg21.

The Versa Wood garage door is a premium option known for its durability, aesthetic appeal, and versatility. Versa-Wood is an ecologically friendly timber with commercial value.

► Material

Versa-Wood is a lightweight hardwood timber with excellent qualities, perfect for our African climate, where doors will most likely be exposed to direct sunlight and rain.

► Lightweight

The Versa Wood garage door puts less strain on garage door hardware and motors.

► Durability

Due to its stability and low weight, Versa-Wood will outlast any other wooden garage door over the years.


► Resistant to Woodworms and Termites

Versa-Wood has a high tannin content, making it unfavourable for insects.

► Resistant to Bending, Warping, Twisting and Woodrot.

These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

SINGLE 10 PANEL
(CODE: GSNGL V 10P)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 20 PANEL
(CODE:GDBL V 20P)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 10 PANEL WITH POLYCARBONATE
PANEL (CODE:GSNGL V 10PGT)




Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 20 PANEL WITH POLYCARBONATE
(CODE:GDBL V 20PGT)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 20 PANEL
(CODE: GSNGL V 20P)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm


DOUBLE 40 PANEL
(CODE:GDBL V 40P)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

SINGLE 20 PANEL RAISED AND FIELD
(CODE: GSNG L V 20RFP)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 40 PANEL RAISED AND FIELD
(CODE: GSNG L V 40RFP)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

Garage Door Heights



Standard Height
Opening 2135 / Door 2170mm



SUV Height
Opening 2380mm / Door 2410mm



Caravan Height
Opening 2540mm / Door 2570mm

These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

**SINGLE 20 PANEL WITH POLYCARBONATE
(CODE: GSNGL V 20PGT)**



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

**DOUBLE 40 PANEL WITH POLYCARBONATE
(CODE:GDBL V 40PGT)**



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

**SINGLE HORIZONTAL WITH POLYCARBONATE
PANEL (CODE: GSNGL 4V HORIZ GT)**



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

**DOUBLE HORIZONTAL WITH POLYCARBONATE
(CODE: GDBL 4V HORIZ GT)**



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

**SINGLE HORIZONTAL
(CODE: GSNGL 4V HORIZ)**



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm


**DOUBLE HORIZONTAL
(CODE:GDBL 4V HORIZ)**



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

SINGLE HORIZONTAL NO9 LH
(CODE: GSNGL 4V HOR NO9 LH)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE HORIZONTAL NO 9 RH
(CODE:GDBL 4V HOR NO9 RH)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE HORIZONTAL NO 15 LH
(CODE: GSNGL 4V HOR NO15 LH)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE HORIZONTAL NO15 LH
(CODE:GDBL 4V HOR NO15 LH)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm


DOUBLE HORIZONTAL, NO 15
(CODE:GDBL 4V HOR NO15 X2) (Also available in NO9 X2)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm


These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

SINGLE BARN
(CODE: GSNGL 4V BARN2)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE BARN
(CODE:GDBL 4V BARN2)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE ARCH BARN
(CODE: GSNGL ARCBRN2)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE ARCH BARN
(CODE:GDBL 4V ARCBRN2)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE POLYCARB BARN G/TOP
(CODE: GSNGL 4V BARN2 GT)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE POLYCARB BARN G/TOP
(CODE: GDBL 4V BARN2 GT)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

Garage Door Heights



Standard Height
Opening 2135mm / Door 2170mm



SUV Height
Opening 2380mm / Door 2410mm



Caravan Height
Opening 2540mm / Door 2570mm



SINGLE BARN
(CODE: GSNGL ARC BRN2)



VERSA-WOOD stands out as the superior choice due to its remarkable combination of lightweight yet durable properties, making it easier to work with and exceptionally resistant to warping, rotting, and insect damage, ensuring longevity and reliability in any project.





Our YOSO Contemporary range is modern and sophisticated, elevating and modernizing any home style. The weatherproof marine ply panels ensure strength and durability, while the polycarbonate panels are lightweight and exceptionally strong.

ALUMINIUM FRAME COLORS

Black

Charcoal

Bronze

White




Standard Height
Opening 2135mm / Door 2170mm



SUV Height
Opening 2380mm / Door 2410mm



Caravan Height
Opening 2540mm / Door 2570mm



These rendered images depict door designs but are not an accurate representation of the actual timber colors and textures.

CONTEMPORARY STYLE GARAGE DOORS

Frame Colors: Black ,Charcoal, Bronze, White

SINGLE 12 PANEL TYPE 1 BLACK
(CODE: GASY 12PUE T1BL)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 PANEL TYPE 1 BLACK
(CODE:GADY 16PUE T1BL)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 12 PANEL TYPE 2 BLACK
(CODE: GASY 12PUE T2BL)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 PANEL TYPE 2 BLACK
(CODE:GADY 16PUE T2BL)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 12 PANEL TYPE 3 BLACK
(CODE: GASY 12PUE T3BL)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 PANEL TYPE 3 BLACK
(CODE: GADY 16PUE T3BL)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm



FUN FACT


Polycarbonate is used to make aeroplane windows, bulletproof windows and police riot shields.

Advantages of Polycarbonate

- Industry reputation for strength
- Shatter resistant
- Durable
- Lightweight
- Natural UV protection
- Flexible

ALUMINIUM FRAME COLORS

Black Charcoal Bronze White



These rendered images depict door designs but are not an accurate representation of the actual colors and textures.

ALUMINIUM POLYCARBONATE GARAGE DOORS

Frame Colors: Black ,Charcoal, Bronze, White

SINGLE 8 PANEL POLYCARBONATE CHARCOAL
(CODE: GAS 8P CG)




Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 12 PANEL POLYCARBONATE CHARCOAL
(CODE:GAD 12P CG)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 12 PANEL POLYCARBONATE CHARCOAL
(CODE: GAS 12PUE CG)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 PANEL POLYCARBONATE CHARCOAL
(CODE:GAD 16P CG)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 12 PANEL POLYCARBONATE CHARCOAL
(CODE: GAS 12P CG)



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 UNEQUAL POLYCARBONATE CHARCOAL
(CODE: GAD 16PUE CG)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm



Advantages of Fluted Aluminium

- Maintenance Free
- Lightweight
- Strength & Durability
- Weather Resistant
- Smooth Finish
- Various Colour Options

ALUMINIUM FRAME COLORS

Black Charcoal Bronze White Stone Grey



Standard Height
Opening 2135mm / Door 2170mm



SUV Height Normal Slat
Opening 2385mm / Door 2410mm

SUV+ Height Normal Slat
Opening 2460mm / Door 2490mm

SUV Height Wide Slat
Opening 2355mm / Door 2385mm



Caravan Height
Opening 2540mm / Door 2600mm

These rendered images depict door designs but are not an accurate representation of the actual colors and textures.

FLUTED ALUMINIUM GARAGE DOORS

Frame Colors: Stone Grey, Black ,Charcoal, Bronze, White

SINGLE HORIZONTAL ALU FLUTED BLACK
(CODE: GAFS20H BL)

SMOOTH FINISH



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE HORIZONTAL ALU FLUTED BLACK
(CODE:GAFD 20H BL)

SMOOTH FINISH




Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

NEW WIDE SLAT RANGE

SINGLE WIDE SLAT ALU FLUTED BLACK
(CODE: GAFS10H BL)


SMOOTH FINISH



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE WIDE SLAT ALU FLUTED BLACK
(CODE:GAFD 10H BL)

SMOOTH FINISH



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

ALUMINIUM COMPOSITE PANEL **GARAGE DOORS**



Global building trends inspire our range of aluminium composite garage doors, which are perfect for upmarket homes.

The aluminium panels consist of two aluminium sheets sandwiching a polyurethane fire-resistant core mounted on a durable aluminium frame structure.

ALUMINIUM FRAME COLORS

Black GM Grey Bronze White Champagne Silver



Advantages of Aluminium Composite Panel

- Fluorocarbon coating for UV protection
- High acoustics
- Thermal and fire-rated value
- Weather Resistant
- Smooth Finish
- Various Colour Options



Standard Height
Opening 2135mm / Door 2170mm



SUV Height
Opening 2380mm / Door 2410mm




Caravan Height
Opening 2540mm / Door 2570mm

ALUMINIUM COMPOSITE PANEL **GARAGE DOORS**


Frame Colors: Black ,Gun Metal Grey, Bronze, White,
Champagne, Silver

SINGLE 8 PANEL ALUMINIUM COMPOSITE
(CODE: GAS 8P CP)





Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 16 PANEL ALUMINIUM COMPOSITE
(CODE:GACS 16P CP)



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm





BUDGET FRIENDLY

Alu Zinc garage doors are a more economical option and the market's most affordable garage door type. Alu Zinc doors consist of 55% aluminium and 45% zinc. Although these doors are budget-friendly, they still look great and are very lightweight, which puts less strain on the motor and hardware.

ALUMINIUM FRAME COLORS

Black Charcoal Bronze White

Brown Golden Oak Dark Oak

ONLY AVAILABLE IN



Standard Height
Opening 2135mm / Door 2170mm

These rendered images depict door designs but are not an accurate representation of the actual colors and textures.

ALU ZINC GARAGE DOORS

Frame Colors: Black ,Charcoal, Bronze, White, Brown, Dark Oak, Golden Oak

SINGLE HORIZONTAL CHARCOAL
(CODE: GAZS 15H C)

TEXTURED FINISH



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE HORIZONTAL ALU ZINC CHARCOAL
(CODE:GAZD 15H C)

TEXTURED FINISH



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm

SINGLE 20 PANEL ALU ZINC CHARCOAL
(CODE: GAZS 20P CH)

TEXTURED FINISH



Door Size: (w) 2500mm x (h) 2170mm
Opening Size: (w) 2440mm x (h) 2135mm

DOUBLE 40 PANEL ALU ZINC CHARCOAL
(CODE:GAZD40P CH)

TEXTURED FINISH



Door Size: (w) 4940mm x (h) 2170mm
Opening Size: (w) 4880mm x (h) 2135mm




Measuring Form (Double)

- Please ensure your garage is cleared of building materials or debris that hamper installation.
- If measurements exceed minimum dimensions, standard garage doors cannot be fitted.
- Removal of old doors will be charged for.

Please fill in the tick boxes with ☒ or where applicable ☒

- Electricity on site ☐ (Installers are not authorised to do any electrical work)
- Garage is free of building materials and debris ☐
- Installation of garage door and motor ☐
- Ceiling must be finished and screeding must be finished before installation ☐
- Manhole in ceiling for access to roof ☐
- I am aware that I should oil my wooden garage door regularly ☐
- Please specify garage door to be installed eg: Aluminium Horizontal ☐

Plug Point ☐



A Minimum 400mm
 B Standard 4880mm
 C STD 2135mm
 SUV 2380mm
 CRVN 2540mm
 D Minimum 150mm
 E Minimum 150mm
 F Minimum 3400mm

Guarantees & Maintenance

- All work done and charged for is guaranteed 12 months from invoice date.
- 12-month guarantee on parts and installation.
- The garage door motor has a 24-month guarantee. (the first 12 months is an on-site repair guarantee. After that, motors must be sent for repairs - a call-out fee will be charged.
- Your garage door needs yearly oiling and service from a certified contractor. Springs need tensioning, and parts need oiling. This will help extend the life of the motor.


Name Date Signature

Measuring Form (Single)

- Please ensure your garage is cleared of building materials or debris that hamper installation.
- If measurements exceed minimum dimensions, standard garage doors cannot be fitted.
- Removal of old doors will be charged for.

Please fill in the tick boxes with ☒ or where applicable ☒

- Electricity on site ☐ (Installers are not authorised to do any electrical work)
- Garage is free of building materials and debris ☐
- Installation of garage door and motor ☐
- Ceiling must be finished and screeding must be finished before installation ☐
- Manhole in ceiling for access to roof ☐
- I am aware that I should oil my wooden garage door regularly ☐
- Please specify garage door to be installed eg: Aluminium Horizontal ☐



A Minimum 400mm
 B Standard 2440mm
 C STD 2135mm
 SUV 2380mm
 CRVN 2540mm
 D Minimum 150mm
 E Minimum 400mm
 F Minimum 150mm
 G STD 2135mm
 SUV 2380mm
 CRVN 2540mm
 H Standard 2440mm
 I Minimum 3400mm

Guarantees & Maintenance

- All work done and charged for is guaranteed 12 months from invoice date.
- 12-month guarantee on parts and installation.
- The garage door motor has a 24-month guarantee. (the first 12 months is an on-site repair guarantee. After that, motors must be sent for repairs - a call-out fee will be charged.
- Your garage door needs yearly oiling and service from a certified contractor. Springs need tensioning, and parts need oiling. This will help extend the life of the motor.

Name Date Signature

MAINTENANCE

TIPS



Oil at least once a year



Do not use varnish

Door Treatment for Wooden Doors

We recommend treating all wooden garage doors with our V-COAT penetrating oil. V-COAT is specifically formulated to penetrate the wood and protect the surface from moisture and sun. We do not recommend varnish on any of our wooden products as varnish only sits on the surface and does not penetrate the wood. Varnish also cracks in the sun, letting rainwater in, trapping moisture underneath, and causing door deterioration.

Annual service recommended for all garage doors

A service would include the following

- Testing the auto-reverse safety features
- Checking and lubricating moving parts
- Re-tensioning and lubricating the spring to make sure the door is properly balanced
- Checking the high-tension cables for broken strands and replace them if necessary.
- Checking and retightening the wall anchors.
- Applying a single coat of protective clear oil on external wood.





BRANCHES

Pretoria (Montana)

+27 012 548 7672

nedine@vanachtmontana.co.za

Klerksdorp

+27 018 462 0784

sheena@vanachtklerksdorp.co.za

Krugersdorp

+27 011 664 7192

miemie@vanachtkruger.co.za

sipho@vanachtkruger.co.za



Contact Us

KYA SAND (HEAD OFFICE) +27 011 708 2488

sales@vanacht.co.za

www.vanacht.co.za

148 Industrial Rd, Randburg, JHB